


AP-1600 MII

CARTONMASTER®

Automatic Flatbed Diecutting Machine



AP-1600 MII LAP Feeder - 5000 i.p.h.

AP-1600 MII TOP Feeder - 5000 i.p.h.

AP-1600M2

A tried and true product the AP-1600M2 convinces with its compact, sturdy and operator friendly design. Accurate registration from E-flute to double wall AB flute. All tooling set from outside of the machine. Customers all over Europe have been valuing its failure-free and efficient operation for many years. Both LAP Feeder (Bottom feed) and TOP Feeder are available.

Technical Data

	LAP Feeder	TOP Feeder
Maximum Sheet Size	1100 x 1600 mm	
Minimum Sheet Size	450 x 600 mm	
Maximum Cutting Size	1080 x 1600 mm	
Inside Chase	1120 x 1648 mm	
Die Fixing system	Centerline II System	
Cutting Knife Height	23.8 mm	
Minimum Gripper Margin	10 mm (Adjustable up to 20 mm)	
Maximum Caliper of Board	11 mm	
Maximum Operational Pressure	350 Tons	
Machine Net Weight	Approx. 35 Tons.	

Available Options:

- Operator functions on the **RIGHT** side of the machine.
- Cutting Chase Loader (Manual / Automatic)
- Operator's Platform in Aluminium
- And more

Please contact us for more details!!

"LAP Feeder" is registered for Asahi Machinery Ltd. Patent Pending

ASAHI MACHINERY EUROPE GmbH
Robert-Bosch-Strasse 14, Haus V
D - 56410 Montabaur, Germany
Tel +49 (0) 2602 180051 Fax +49 (0) 2602 180055
Mail: info@asahi-machinery-europe.com www.asahi-machinery-europe.com